



Fig. 1  
RB89  
RB85



Fig. 2  
RB87  
RB88



Fig. 3  
RB91



Fig. 4  
RB571



Fig. 5  
RB83



Fig. 6  
RB81



Fig. 7  
RB735



Fig. 8  
RB60



Fig. 9  
RB21K



Fig. 10  
RB006



Fig. 11  
RB130

Part #	CFM	Spd/RPM	Volts	Amps	Rot	Type	Const.	Bearing	Cross	Fig
RB89	23	1/2050	115	0.46	C.C.W.	S.P.	OPEN	SLEEVE	SELKIRK	1
RB85	23	1/2050	115	0.46	C.C.W.	S.P.	OPEN	SLEEVE	SELKIRK	1
RB87	35	1/1900	115	0.60	C.C.W.	S.P.	OPEN	SLEEVE	SELKIRK	2
RB88	35	1/1900	115	0.60	C.C.W.	S.P.	OPEN	SLEEVE	SELKIRK	2
RB91	40	1/1500	115	0.30	C.C.W.	S.P.	OPEN	SLEEVE	HUNTER WALL HEATER 917254	3
RB571	45	1/1800	115	0.38	C.C.W.	S.P.	OPEN	SLEEVE	73 CFM, NORDICA	4
RB83	53	1/2400	115	0.92	C.C.W.	S.P.	OPEN	SLEEVE	QUADRA FIRE FREE STANDING WOODSTOVE	5
RB81	53	1/2400	115	0.92	C.C.W.	S.P.	OPEN	SLEEVE	HEARTH & HOME TECH. FK-GAS	6
RB735	60	1/1500	115	0.36	C.C.W.	S.P.	OPEN	SLEEVE	HUNTER, VALOR, NAPOLEON FASCO 7063-7736	7
RB60	60	1/3200	115	1.00	C.W.	S.P.	T.E.	SLEEVE	ELECTROHOME 2810-005-052, EM60	8
RB21K	80	1/1800	115	0.75	C.C.W.	S.P.	OPEN	SLEEVE	HEATILATOR FK21, GFK21 NOVUS 30	9
RB006	81	1/2800	115	1.40	C.C.W.	S.P.	OPEN	SLEEVE	OSBURN FD006-1600 INSERTS 1800, 2200, 2400 STOVES	10
RB130	85	1/2800	115	1.50	C.W.	S.P.	OPEN	BALL	SINGLE BLOWER FK30 FS32DV	11

Continued next page

Blowers




Fig.1  
RB67



Fig.2  
RB34



Fig.3  
RB267



Fig.4  
RB66  
RB82



Fig.5  
RB86  
RB61



Fig.6  
RB944



Fig.7  
RB166



Fig.8  
RB37



Fig.9  
RB59



Fig.10  
RB58



Fig.11  
RB62

Blowers

continued from previous

Part #	CFM	Spd/RPM	Volts	Amps	Rot	Type	Const.	Bearing	Comment	Fig
<b>RB67</b>	<b>100</b>	1/2100	115	0.40	C.C.W.	S.P.	OPEN	SLEEVE	HEATILATOR, SECURITY	1
<b>RB34</b>	<b>100</b>	1/3200	115	0.88	C.W.	S.P.	OPEN	SLEEVE	VARIABLE SPEED SWITCH LARGE FLANGE	2
<b>RB267</b>	<b>100</b>	1/2100	115	0.40	C.C.W.	S.P.	OPEN	SLEEVE	HEATILATOR, SECURITY	3
<b>RB66</b>	<b>100</b>	1/2100	115	0.40	C.W.	S.P.	OPEN	SLEEVE	SECURITY	4
<b>RB86</b>	<b>100</b>	1/2100	115	0.40	C.C.W.	S.P.	OPEN	SLEEVE	HEATILATOR, SECURITY	5
<b>RB944</b>	<b>100</b>	1/2800	115	0.77	C.C.W.	S.P.	OPEN	SLEEVE	POLARIS	6
<b>RB166</b>	<b>105</b>	1/3000	115	1.50	C.C.W.	S.P.	OPEN	SLEEVE	REGENCY 910-33/P WOOD FIRE PLACE	7
<b>RB37</b>	<b>110</b>	1/1400	115	.75	C.C.W.	S.P.	OPEN	SLEEVE	Z33FK, ZDV3320, ZDV6000 KINGSMAN	8
<b>RB82</b>	<b>110</b>	1/1500	115	0.50	C.W.	S.P.	OPEN	SLEEVE	CFM HE20, MAJESTIC INSTAFLAME	4
<b>RB59</b>	<b>110</b>	1/1500	115	0.50	C.C.W.	S.P.	OPEN	SLEEVE	GZ550, NAPOLEAN, WOLF STEEL CONTINENTAL	9
<b>RB58</b>	<b>110</b>	1/1500	115	0.50	C.C.W.	S.P.	OPEN	SLEEVE	GZ550, NAPOLEAN, WOLF STEEL CONTINENTAL	10
<b>RB61</b>	<b>110</b>	1/1500	115	0.50	C.C.W.	S.P.	OPEN	SLEEVE	NAPOLEAN, WOLF STEEL, Z33FK, Z36FK KINGSMAN, CONTINENTAL	5
<b>RB62</b>	<b>111</b>	1/2800	115	0.90	C.C.W.	S.P.	OPEN	SLEEVE	NAPOLEAN	11

Continued next page

Blowers



Fig. 1  
RB27



Fig. 2  
RB38B



Fig. 3  
RB50



Fig. 4  
RB38



Fig. 5  
RB63



Fig. 6  
RB125



Fig. 7  
RB35



Fig. 8  
RB36



Fig. 9  
RB84



Fig. 10  
RB74K



Fig. 11  
RB68



Fig. 12  
RB108



Fig. 13  
RB39




Fig. 14  
RB64

Part #	HP/CFM	Speed/RPM	Volts	Amps	Rot	Type	Const.	Bearing	Cross	Fig
<b>RB27</b>	<b>115</b>	1/2400	115	0.92	C.C.W.	S.P.	OPEN	SLEEVE	FK26	1
<b>RB38B</b>	<b>115</b>	1/2400	115	0.92	C.W.	S.P.	OPEN	SLEEVE	GENERIC REPLACEMENT FIT ALL KINGSMAN 33,35,37&48	2
<b>RB50</b>	<b>115</b>	1/2400	115	1.20	C.C.W.	S.P.	OPEN	SLEEVE	c/w SPEED CNTRL & THERMAL SWITCH BOX	3
<b>RB38</b>	<b>115</b>	1/2400	115	0.92	C.W.	S.P.	OPEN	SLEEVE	GENERIC REPLACEMENT FIT ALL KINGSMAN 33,35,37&48	4
<b>RB63</b>	<b>120</b>	1/2800	115	0.70	C.W.	S.P.	OPEN	SLEEVE	INSTAFLAME, MAJESTIC, CFM REPLACES 53311 (FOR HE30TN)	5
<b>RB125</b>	<b>125</b>	1/3200	115	1.10	C.C.W.	S.P.	OPEN	SLEEVE	TOLOTTE, A125 2.5"x3.75" WHL., 125CFM	6
<b>RB35</b>	<b>130</b>	1/1250	115	0.86	C.W.	S.P.	OPEN	SLEEVE	KINGSMAN F35FK,FDV350,FV FDV5000, FDV4000 KINGSMAN	7
<b>RB36</b>	<b>130</b>	1/1250	115	0.86	C.W.	S.P.	OPEN	SLEEVE	Z36FK, ZDV3600, ZDV4200N KINGSMAN	8
<b>RB84</b>	<b>130</b>	1/1250	115	0.60	C.C.W.	S.P.	OPEN	SLEEVE	HUNTER 770, LENNOX FK2, KINGSMAN F35FK	9
<b>RB74K</b>	<b>130</b>	1/1250	115	0.86	C.W.	S.P.	OPEN	SLEEVE	HEATILATOR FK4, GFK4	10
<b>RB68</b>	<b>130</b>	1/1250	115	0.60	C.W.	S.P.	OPEN	SLEEVE	HUNTER 770 W/VAR SPD CTRL, FS, MNT BRKT	11
<b>RB108</b>	<b>130</b>	1/1250	115	0.86	C.W.	S.P.	OPEN	SLEEVE	OSBURN KA108	12
<b>RB39</b>	<b>130</b>	1/1250	115	0.86	C.W.	S.P.	OPEN	SLEEVE	w/THERMOSTAT SWITCH, WIRING HARNESS & SPEED CONTROL	13
<b>RB64</b>	<b>130</b>	1/1250	115	0.60	C.W.	S.P.	OPEN	SLEEVE	CFM HE30, MAJESTIC INSTAFLAME HE30	14

Continued next page





Blowers

continued from previous

Part #	HP/CFM	Speed/RPM	Volts	Amps	Rot	Type	Const.	Bearing	Cross	Fig
<b>RB169</b>	<b>140</b>	1/2900	115	1.10	C.C.W.	S.P.	OPEN	SLEEVE	HERITAGE	1
<b>RB168</b>	<b>140</b>	1/2900	115	1.50	C.W.	S.P.	OPEN	SLEEVE	HEAT & GLO 7002-1241,GFK160A ROYAL FK160	1+2
<b>RB168B</b>	<b>140</b>	1/2900	115	1.50	C.W.	S.P.	OPEN	SLEEVE	HEAT & GLO 7002-1241,GFK160A ROYAL FK160	1
<b>RB79</b>	<b>150</b>	1/1200	115	0.75	C.C.W.	S.P.	OPEN	SLEEVE	UNIVERSAL	3
<b>RB69</b>	<b>150</b>	1/1200	115	0.75	C.W.	S.P.	OPEN	SLEEVE	UNIVERSAL	4
<b>RB513</b>	<b>162</b>	1/2600	115	1.35	C.W.	S.P.	OPEN	SLEEVE	220 CFM, NORDICA FURNISHED W/COOLING FAN OSE	5
<b>RB948</b>	<b>175</b>	1/2800	115	0.80	C.C.W.	S.P.	OPEN	SLEEVE	POLARIS	6
<b>RB939</b>	<b>180</b>	1/2800	115	0.80	C.W.	S.P.	OPEN	BALL	GENERAL PURPOSE BLOWER	6
<b>RB949</b>	<b>180</b>	1/2800	115	0.80	C.C.W.	S.P.	OPEN	BALL	GENERAL PURPOSE BLOWER	6
<b>RB950</b>	<b>180</b>	1/2800	230	0.30	C.C.W.	S.P.	OPEN	BALL	GENERAL PURPOSE BLOWER	6
<b>RB65</b>	<b>200</b>	1/2800	115	0.70	C.W.	S.P.	OPEN	SLEEVE	C/W VARIABLE SPEED CONTROL, FAN SWITCH & MOUNTING PLATE	7
<b>RB200T-2</b>	<b>200</b>	3/1600	115	0.80	C.W.	S.P.	OPEN	SLEEVE	ELECTROHOME 2812-681-002, EB200T-2	8
<b>RB213</b>	<b>212</b>	1/2700	115	1.25	C.C.W.	S.P.	OPEN	SLEEVE	A212 3"x4" WHEEL, 212CFM	1
<b>RB96</b>	<b>350</b>	1/2800	115	0.90	C.W.	S.P.	OPEN	SLEEVE	GENERAL PURPOSE DOUBLE BLOWER REGENCY CHIMNEY BLOWER REGENCY	9
<b>RB478</b>	<b>455</b>	2/1550	115	1.60	C.C.W	P.S.C	OPEN	BALL	946556, FASCO A455	10
<b>RB815</b>	<b>815</b>	1/1040	115	5.60	C.C.W.	S.P.	OPEN	SLEEVE	70513853 WHEEL 8-1/16"x4-3/16"	11
<b>RB150</b>	<b>1/35</b>	1/1550	115	1.00				S.E	15007, 8253710702 Lennox, Earth Pellet Stove	12
<b>RB12</b>	<b>1/3000</b>	1/3000	115	0.84	C.W.	S.P.	OPEN	SLEEVE	CFM FK12 C/W 9' WALL PLUG	13
<b>RB221</b>	<b>1/60</b>	2/1550	115	0.60	C.C.W.	S.P.	OPEN	SLEEVE	UZY3 SECURITY , R408	14
<b>RB167</b>	<b>135</b>	2/2800	115	1.45	C.C.W.	S.P.	OPEN	SLEEVE	REGENCY 910-157P NORDICA DIA OSBURN, PACIFIC ENERGY	15

Continued next page

Rotation determined opposite shaft end  
Double shaft determined at lead end

Shaft length measured from hub  
face to shaft end